



The durable Rope
Machinery and Technical Knowledge
from South Korea



ISO 9001 : 2008 Certified Company



Decide with Confidence
D & B Number : 86-255-0486





OUR MISSION

Sun Rope's Mission Is To Deliver Right Quality Products & Services In Right Time At Competitive Price, which be first choice of esteemed customer's in Indian market and International market. Our main aim is customer satisfaction, long-term customer retention.

ABOUT US

With the view of customer satisfaction, playing important part in growing Indian rope market and to develop Indian product and to dominate International Rope Market, **"SUN Durable Rope"** Manufacturers & sell their products in Indian and Various countries such as U.A.E., Yemen, Kuwait, Nigeria, Tanzania, Oman, Srilanka, GHANA, SAUDIA ARABIA, DR. CONGO, MALE Etc.

As an imperative manufacturer in the gaining emerging market, SUN Durable Rope has genuinely secured an outstanding position. To respond to every customer's need in today's high-paced world SUN Durable Rope dynamically pursues its geographics expansion, claiming new markets with huge success. With our endeavor to give best quality and service to our customers, we have gained a genuine edge over others.

SUN Durable Rope demand is due to its Virgin Quality, Reliability and differential product mix with soft rope, Today, almost everyone can find a perfect SUN Durable Rope solution for his / her market and budget requirements and its only provided by SUN durable Rope.

The incomparable range of products and quality services of SUN Durable Rope, today help us to create new strategic alliances. Having cemented our relationship with our existing client, SUN durable Rope now forges ahead to create new strategy alliances by seeking fresher, never & untapped markets with great success. We are catering all kind of Ropes markets like Fishing, Packing and domestic use. our range of ROPE Includes HDPE/PP Monofilament Ropes, HDPE / PP Twines, HDPE / PP Cheese Ropes, PP Bailer Twines etc. Various range of SUN Durable Rope are available for customer to choose as per his requirement and usage.

SUN Durable Rope's customer will achieve more benefit and enjoy good product and gain goods value and also SUN Durable Rope acquire excellent command over rope market. SUN Durable Rope Our quality & turn around time is prompting several important customers to out source their private label, brand requirements from us.

Policy of our group is highly inspired and our sales team is very energetic in providing service to our current and proposed customer. by adoption our product, customer and also end-user is truly satisfied and merchant exporter get high ratio of profitability @ enlarge their business by selling our product because we maintained true quality, our research team is working very hard to develop quality as per buyer demand.

OUR MOTTO IS TO MANUFACTURE BEST QUALITY ROPES AND RELATED PRODUCTION AND CATER DOMESTIC AND INTERNATIONAL MARKET AND BE AT TOP POSITION.



HDPE MONO ROPE Small & Big Coils



- About Rope** : Product Manufacturing by HDPE, 3 Strand Rope, S twister Rope & S & Z Twister Rope is available and ultra-violet light stabilizer, is available on request.
- Uses** : Vessels fisheries net, Sea Culture, Guideline, Packing, Trucks, Bats, Caro, Nets, Castration etc.
- Characteristics** : Floats on Water, Easy Handling, Inert to Chemicals coil, Light Weight, Controlled Elongation, Minimum Water absorption.
- Length available** : 100, 200 & 300 Yds. & any type of Length as per buyer requirement, Min. 0.400 gm. Spool core less or with core. Long length Maximum 10 Kg. Spool
- Tolerance** : 4 MM to 14 MM = 7%, 16 MM to above = 6%
- Size** : Big 2 mm to 24 mm, Small 4 mm to 24 mm

- About Rope** : Long lasting - stabilized for exposure to Ultra Violet Rays
Excellent Strength Non Corrosive Greater abrasion resistance
Light Weight Controlled elongation
- Uses** : Immunity to extreme atmospheric conditions
- Characteristics** : No water absorption - resistance to rot, mildew & marine organisms Excellent shock absorption capacity Inert to Chemicals
- Length available** : 110-220-300-400 Mtrs. & any type of length as per buyer requirement.
- Size** : 2 mm to 36 mm.

P.P. DUNLINE ROPE





About Rope : Product Manufacturing by HDPE, 3 Strand Twine S & Z Twist Twin is available and ultra-violet light stabilizer, is available on request. This Twin is manufacturing in Hank form.

Uses : Netting, Fishing, Becket.

Characteristics : Floats on Water, Easy Handling, Inert to Chemicals coil, Light Weight, Controlled Elongation, Minimum Water absorption.

Twin available : 0.060 gm. to 0.500 gm., 40, 50, 100, 200 & 300 mtr. and any type of length/weight as per buyer requirement.

Tolerance : 6%

Size : 0.5 mm to 3 mm and 3 Ply to 108 Ply of 380 Denier.

HDPE TWINE



BALER TWINE



About Rope : Product Manufacturing by P.P, S Twist is available and Ultra - Violet light stabilizer is available on request.

Uses : Packing, Agriculture, Coronets, Bags, Starching etc.

Characteristics : Floats on Water, Easy Handling, Inert to Chemicals coil, Light Weight, Controlled Elongation

Length available : Min. 0.400 gm. Spool core less or with core.
Long length Maximum 10 Kg. Spool
And any type of weight spool as per buyer requirement.

Tolerance : 5%

Size : 10000 to 50000 Denor.



About Rope : Long lasting - stabilized for exposure to Ultra Violet Rays
 Excellent Strength Non Corrosive Greater abrasion resistance
 Light Weight Controlled elongation

Uses : Sugar Factories, Engineering, Construction & Oil Exploration
 Industries for material handling, Fish net making, Domestic uses

Characteristics : Material Handling Operations, Truck Rope, Traction Rope,
 Sign Rope, Ship Hawser, Guide Rope, Cargonet etc.

Length available : 110 mm mwards


Size : 4 mm to 32 mm.

P.P. ROPE

SUTLI, STRACH, PVC STRACH FILM etc.



SUTLI



POLYSTER ROPE



COMMERCIAL ROPE



PVC STRECH FILM



STRAPPING ROLE



OUR OTHER BRANDS

SPECIFICATION OF ' SUN ROPE ' Three Strand Ropes

POLYPROPYLENE ROPES (P.P.)					HDPE (P/E)		
Circum - ference in inch	Diameter in mm	Breaking Strength in Kgf	P.P Runnage in meter per Kg.	Wt. Per Coil of 220 meter in Kg.	Breaking Strength in Kg.	Runnage in meter per Kg.	Wt. Per coil of 220 meters in Kg.
1/2	4	214	135.00	1.63	180	120.20	1.83
3/4	6	602	60.00	3.67	380	54.00	4.08
2	8	1060	33.30	6.60	650	30.30	7.26
1 1/4	10	1560	22.00	10.00	990	19.40	11.30
1 1/2	12	2210	15.20	14.50	1420	13.50	16.30
1 3/4	14	3050	11.00	20.00	1900	9.25	22.10
2	16	3770	8.60	25.50	2430	7.60	28.90
2 1/4	18	4810	6.80	32.50	3030	6.00	36.60
2 1/2	20	5800	5.50	40.00	3680	4.90	45.20
2 3/4	22	6960	4.50	48.50	4400	4.00	54.80
3	24	8130	3.90	57.00	5170	3.40	65.10

**OUR
ACHIEVMENT**



Survey No. 189, Plot No. 3/3, Natraj Ind. Estate, Village : Vasna (Iyava), Tal : Sanand, Dist. : Ahmedabad, GUJARAT (INDIA).
Ph. : 02717-284255 **Mail :** arhampolymers@yahoo.com **Website :** www.arhampolymers.com